

OUR MOST EFFICIENT AND FULLY-LOADED SPLIT TYPE INVERTER AIRCON

with low cost to use at only P1.13/hour *based on an 8-hr run test at 18 °C





4

Energy Savings

- Inverter system with full DC technology that maximize energy savings.
- Nominal power consumption as low as 560W.

198877

 Intelligent eye sensor turns the AC to Eco mode when no human presence is detected in the room.

Smart Protection System

- Built for durability powered by intelligent sensors that protects the system from voltage, temperature and current fluctuations
- PCB coating guards against damage from lizards, ants and spider infestations.

Щ×

Quiet Cooling

• Activate with Silence

Easy-to-Install

Install in no time with Advanced Mounting Plate, Wide Wiring Terminal Blocks and Two-way piping conection.

Easy-to-Clean

Magnetic-pull connectors help prevent dust stir everytime you lift the filters for cleaning.

Easy-to-Maintain

Fully access the indoor fan, drain pan and PCB for thorough cleaning or repair, without the hassle of pulling down the entire unit or disconnecting the pipes.



Convenience

- Bring cool air into every corner of the room with
 4-way Airflow's automatic swing function for both
 vertical and horizontal louvres
- Breeze Away gives a shower of cool air without the harsh draft.



Clean Air

- Tri-filtration system including High Density, Cold Catalyst and Silver lon filters to rid the indoor air of dust particles, bad odors, bacteria and viruses
- Active Clean function keeps the indoor coils clean and dry to prevent mildew build-up

Mode function that provides indoor sound level as low as 20dB, the sound of a whisper.



Modern Remote Control

- Convenient access to key functions such as Intelligent Eye, Eco-Gear and Humidity Control
- Intuitive with large LCD Screen display for ease of use



Excellent After-Sales Service

 All your AC needs fulfilled when you get in touch through any of the multiple channels: customer service hotline, website, FB and accredited service centers nationwide.



What makes us unique? Carrier AURA has an intelligent algorithm

	1.0 Hp	1.5 Hp	2.0 Hp	2.5 Hp
MODEL CODES				
Set	53CEP009308	53CEP012308	53CEP018308	53CEP024308
Indoor Unit	42CEP009308	42CEP012308	42CEP018308	42CEP024308
Outdoor Unit	38CEP009308	38CEP012308	38CEP018308	38CEP024308
Power Supply (V-Ph-Hz)	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz	230V, 1Ph, 60Hz
Cooling Capacity (kJ-hr)	9,500 (2,930 - 12,000)	12,700 (2,110 - 14,000)	18.990 (4,610 - 20,000)	25.500 (10,850 - 33,000)
Power Input (W)	560 (200 - 860)	865 (130 - 1,150)	1,295 (290 - 1,560)	1,650 (650 - 2,600)
CSPF	6.4	6.5	6.1	6.4
Refrigerant	R32	R32	R32	R32
Sound Level (H/M/L) dB(A)	35.5/29.5/26.5	37.5 / 32.5 / 29.0	41.0 / 45.0 / 23.0	44.5 / 40.0 / 23.0
PHYSICAL DATA				
INDOOR UNIT				
Net Dimension (mm)	795W x 225D x 295H	795W x 225D x 295H	965W x 239D x 319H	1140W x 275D x 370H
Gross Dimension (mm)	870W x 370D x 305H	870W x 370D x 305H	1045W x 400D x 325H	1230W x 455D x 355H
Net / Gross Weight (kg)	10.3 / 13.1	10.3 / 13.1	12.3 / 16.4	20.0 / 25.3
OUTDOOR UNIT				
Net Dimension (mm)	765W x 303D x 555H	765W x 303D x 555H	890W x 342D x 673H	890W x 342D x 673H
Gross Dimension (mm)	887W x 337D x 610H	887W x 337D x 610H	995W x 398D x 740H	995W x 398D x 740H
Weight (Net/Gross) (kg)	22.7 / 25.2	24.3 / 26.6	38.8 / 41.9	45.6 / 48.8
PIPING				
Liquid	6.35 mm (1/4 in)	6.35 mm (1/4 in)	6.35 mm (1/4 in)	9.52 mm (3/8 in)
Gas	9.52 mm (3/8 in)	9.52 mm (3/8 in)	12.7 mm (1/2 in)	15.9 mm (5/8 in)
Ma. Refr. Pipe Length	25	25	30	40
Max. Diff. in Level	10	10	20	25

CONCEPCION-CARRIER AIR CONDITIONING

CONCEPCION CARRIER AIR CONDITIONING COMPANY

Head Office: KM 20, East Service Road, South Superhighway, Muntinlupa City, Philippines Tel. No.: (02) 8 850 1367

Regional Office: 2/F R&R Building A.C Cortes Ave., Mandaue City, Cebu, Philippines Tel. No.: (032) 346 5220

> Our customer care team is here to answer your questions. Customer Care: (02) 88888 247 Toll free hotline: 1-800-10-8888-247